

SAFETY DATA SHEET

Jasco Green Denatured Alcohol

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Jasco Green Denatured Alcohol

Company Name: W. M. Barr
2105 Channel Avenue
Memphis, TN 38113

Phone Number: (901)775-0100

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Heater Fuel

Product Code: QJGDA454

2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 2
Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 3
Serious Eye Damage/Eye Irritation, Category 2A
Carcinogenicity, Category 2
Toxic To Reproduction, Category 2
Specific Target Organ Toxicity (single exposure), Category 2
Specific Target Organ Toxicity (repeated exposure), Category 1



GHS Signal Word: **Danger**

GHS Hazard Phrases: Highly flammable liquid and vapor.
Toxic in contact with skin.
Causes serious eye irritation.
Harmful if inhaled.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure.

GHS Precautionary Phrases: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): P361: Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.

SAFETY DATA SHEET

Jasco Green Denatured Alcohol

Revision: 04/08/2021
Supersedes Revision: 03/19/2020

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical attention/advice.

Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

Call a POISON CENTER or doctor/physician if you feel unwell.

Get medical attention/advice if you feel unwell.

Specific measures see label.

If eye irritation persists, get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire, use dry powder chemical to extinguish.

GHS Storage and Disposal Phrases:

Store in cool/well-ventilated place.

Store locked up.

Dispose of contents/container according to local, state and federal regulations.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Medical Conditions Generally Aggravated By Exposure: Diseases of the liver.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
64-17-5	Ethyl alcohol {Ethanol}	80.0 -100.0 %
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	3.0 -7.0 %
141-78-6	Acetic acid, ethyl ester {Ethyl acetate}	1.0 -5.0 %
108-10-1	Methyl isobutyl ketone {Hexone; Isopropylacetone; MIBK; 4-Methyl-2-pentanone}	0.1 -1.0 %
142-82-5	Heptane	0.1 -1.0 %

Additional Chemical Information

Specific percentage of composition is being withheld as a trade secret.

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

Inhalation:
If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or artificial respiration until medical assistance can be rendered.

Skin Contact:
Wash with soap and water while removing contaminated clothing. If symptoms persist seek medical advice.

Eye Contact:
Flush with large quantities of water for at least 15 minutes. Get medical attention.

Ingestion:
Call your poison control center, hospital emergency room or physician immediately for instructions to induce vomiting.
Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of Exposure:

Unconsciousness. Narcosis. Cyanosis (blue tissue condition, nails, lips, and/or skin).
Decrease in motor functions. Behavioral changes. Edema. Liver enlargement. Jaundice. Proteinuria.

SAFETY DATA SHEET

Jasco Green Denatured Alcohol

Birth defects. Sterility.

Note to Physician: Poison. This product contains methanol. Methanol is metabolized to formaldehyde and formic acid. These metabolites may cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used as an antidote. Methanol is effectively removed by hemodialysis. Call your local poison control center for further instructions.

5. FIRE FIGHTING MEASURES

Flash Pt: OSHA Class IB
55.00 F Method Used: Unknown

Explosive Limits: LEL: 3.3 % UEL: 19%

Autoignition Pt: 685.00 F

Suitable Extinguishing Media: Use carbon dioxide, dry powder, alcohol-resistant foam, or water spray.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined area. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.

Flammable Properties and Hazards: Flashback of vapors possible over considerable distance.

Hazardous Combustion Products: Fire may produce irritating, corrosive and/or toxic gases.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Clean-up:

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources, keep flares, smoking or flames out of hazard area.

Small spills:

Take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable.

Large spills:

Dike far ahead of spill for later disposal.

Do not flush into surface water or sanitary sewer system.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing: Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

SAFETY DATA SHEET

Jasco Green Denatured Alcohol

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
64-17-5	Ethyl alcohol {Ethanol}	ACGIH TLV OSHA PELs	TLV: 1000 ppm PEL: 1000 ppm	
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	ACGIH TLV OSHA PELs	TLV: 200 ppm STEL: 250 ppm PEL: 200 ppm	
141-78-6	Acetic acid, ethyl ester {Ethyl acetate}	ACGIH TLV OSHA PELs	TLV: 400 ppm PEL: 400 ppm	
108-10-1	Methyl isobutyl ketone {Hexone; Isopropylacetone; MIBK; 4-Methyl-2-pentanone}	ACGIH TLV OSHA PELs	TLV: 20 ppm STEL: 75 ppm PEL: 100 ppm	
142-82-5	Heptane	ACGIH TLV OSHA PELs	TLV: 400 ppm STEL: 500 ppm PEL: 500 ppm	
Respiratory Equipment (Specify Type):		For OSHA controlled work place and other regular users. Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLV. For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirator for organic solvent vapors. A dust mask does not provide protection against vapors.		
Eye Protection:		Safety glasses, chemical goggles or face shields are recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn while working with chemicals.		
Protective Gloves:		Wear impermeable gloves. Gloves contaminated with product should be discarded. Promptly remove clothing that becomes soiled with product.		
Other Protective Clothing:		Various application methods can dictate the use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.		
Engineering Controls (Ventilation etc.):		Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering -- Stop -- ventilation is inadequate. Leave area immediately.		
Work/Hygienic/Maintenance Practices:		A source of clean water should be available in the work area for flushing eyes and skin. Do not eat, drink, or smoke in the work area. Wash hands thoroughly after use. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: Clear, water white, thin liquid
Odor threshold not determined.
pH: N.D.
Melting Point: N.D.
Boiling Point: 174.20 F
Flash Pt: 55.00 F Method Used: Unknown
Evaporation Rate: ~ 2 (BuAC=1)
Flammability (solid, gas): No data available.
Explosive Limits: LEL: 3.3 % UEL: 19%
Vapor Pressure (vs. Air or mm Hg): ~ 44 MM HG at 20.0 C
Vapor Density (vs. Air = 1): ~ 1.6
Specific Gravity (Water = 1): 0.789 - 0.83 at 60.0 F
Bulk density: 6.75 LB/GA
Solubility in Water: miscible
Solubility Notes: Completely soluble in water.
Octanol/Water Partition Coefficient: ND
Percent Volatile: 100.0 % by weight.
VOC / Volume: 789.0000 G/L
Autoignition Pt: 685.00 F
Decomposition Temperature: No data.
Viscosity: N.D.
Additional Physical Information ND = Not determined.

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatibility - Materials To Avoid: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Decomposition may produce carbon monoxide, carbon dioxide, and possibly other unidentified organic compounds.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for acute and chronic health effects.

CAS# 64-17-5:
 Acute toxicity, LD50, Oral, Rat, 7060. MG/KG.
 Result:
 Lungs, Thorax, or Respiration: Other changes.
 - Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 16,718, 1970

CAS# 141-78-6:
 Standard Draize Test, Eyes, Human, 400.0 PPM.
 Result:
 Liver: Hepatitis (hepatocellular necrosis), zonal.
 - Journal of Industrial Hygiene and Toxicology, Vol/p/yr: 25,282, 1943

CAS# 108-10-1:
 Standard Draize Test, Eyes, Species: Rabbit, 40.00 MG, Severe.
 Result:
 Effects on Newborn: Growth statistics (e.g., reduced weight gain).
 Effects on Newborn: Behavioral.
 - Union Carbide Data Sheet, Union Carbide Corp., 39 Old Ridgebury Rd., Danbury, CT 06817, Vol/p/yr: 4/25, 1958

Carcinogenicity/Other Information: IARC 1 - Carcinogenic to humans
 IARC 2B - Possibly Carcinogenic to Humans ACGIH A4 - Not Classifiable as a Human Carcinogen.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64-17-5	Ethyl alcohol {Ethanol}	n.a.	1	A4	n.a.
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	n.a.	n.a.	n.a.	n.a.
141-78-6	Acetic acid, ethyl ester {Ethyl acetate}	n.a.	n.a.	n.a.	n.a.
108-10-1	Methyl isobutyl ketone {Hexone; Isopropylacetone; MIBK; 4-Methyl-2-pentanone}	n.a.	2B	n.a.	n.a.
142-82-5	Heptane	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: This product has not been tested as a whole.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.
RCRA Waste ID Code: D001

14. TRANSPORT INFORMATION

SAFETY DATA SHEET

Jasco Green Denatured Alcohol

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Ethyl alcohol
DOT Hazard Class: 3 FLAMMABLE LIQUID
UN/NA Number: UN1170 **Packing Group:** II



Additional Transport Information: The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol {Ethanol}	No	No	No
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	No	Yes NA	Yes
141-78-6	Acetic acid, ethyl ester {Ethyl acetate}	No	Yes NA	No
108-10-1	Methyl isobutyl ketone {Hexone; Isopropylacetone; MIBK; 4-Methyl-2-pentanone}	No	Yes NA	Yes
142-82-5	Heptane	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64-17-5	Ethyl alcohol {Ethanol}	TSCA: Inventory
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	CAA HAP,ODC: HAP: VHAP TSCA: Inventory CA PROP.65: Yes: RDTox.
141-78-6	Acetic acid, ethyl ester {Ethyl acetate}	TSCA: Inventory
108-10-1	Methyl isobutyl ketone {Hexone; Isopropylacetone; MIBK; 4-Methyl-2-pentanone}	CAA HAP,ODC: HAP: VHAP TSCA: Inventory CA PROP.65: Yes: Canc+RDTox.
142-82-5	Heptane	TSCA: Inventory, 4 Test, 8A PAIR

Additional Regulatory Information
Regulatory Information Statement: This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.
 All components of this material are listed on the TSCA Inventory or are exempt.

SAFETY DATA SHEET
Jasco Green Denatured Alcohol

Revision: 04/08/2021
Supersedes Revision: 03/19/2020

16. OTHER INFORMATION

Revision Date:	04/08/2021	Previous revision:	03/19/2020
Preparer Name:	W.M. Barr EHS Department (901)775-0100		

Additional Information About This Product: No data available.

Company Policy or Disclaimer: The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.